Invisible Nasal Engraving of SWISSCOAT Precision

Daily						
Index	Clear Lens / NXT Mirror	Transitions VI Brown / Grey	Photochromic (Brown Grey/Pink/Orange/ Yellow/Green/ Blue/Violet)	Polarized Brown/Grey/Green	Drivewear [™] Transitions Brown	
1.5	E5/ E7/ E9	T5/ T7/ T9	-	Z5/ Z7/ Z9	W5/W7/W9	
1.530 SAFEwear	V5/ V7/ V9	TV5/TV7/TV9	NXT V5/ V7/ V9	ZV5/ZV7/ZV9	NXT ZV5/ZV7/ZV9	
1.56	-	-	PD5/PD7/PD9	-	-	
1.5 8 9 Polycarbonate	L5/ L7/ L9	TL5/LT7/TL9	-	ZL5/ZL7/ZL9	WL5/WL7/WL9	
1.6	H5/ H7/ H9	TH5/TH7/TH9	-	ZH5/ZH7/ZH9	-	
1.67	P5/ P7/ P9	TP5/TP7/TP9	-	ZP5/ZP7/ZP9 Brown / Grey	-	
1.74	U5/ U7/ U9	-	-	-	-	

Customer Care

We fully understand your needs as a consumer and are keen on listening to your suggestions. After listening to your needs and collecting series of sophisticated measurements. We will then integrate your needs with the most advanced technology to produce a pair of SWISSCOAT® Precision lenses tailor-made just for you.

In addition, our laboratory has developed a strong, dedicated and experienced technical support team, hence we guarantee to offer our consumers extra care at all times. We are also always ready to answer any enquires relating to our products through our experienced, sincere and enthusiastic staffs of our customer service division.

Our laboratory is also a qualified optical service laboratory and we have been awarded the internationally recognized ISO





9001:2015;CE & FDA certificate under the quality assurance system, meaning that we are capable of providing a high quality and all-rounded after sales consumer service at a personalized level.

Finally our quality assurance is also reflected by the fact that our company provides a 1 year guarantee against

- a.) the Anti-Reflective coating quality of our SWISSCOAT® Precision lenses, and
- b.) customer adaptability



SWISSCAOT Customized progressive Lens - Precision Daily

Index & Material	Maximum Supply power range
1.499 Precision Daily Customized progressive *	-8.00D ~ +6.50D
1.53 SAFEwear Precision Daily Customized progressive **	-8.00D ~ +5.00D
1.586 Poly Precision Daily Customized progressive *	-9.00D ~ +6.00D
1.61 Precision Daily Customized progressive *	-9.50D ~ +6.00D
1.67 Precision Daily Customized progressive *	-11.00D ~ +11.00D
1.74 Precision Daily Customized progressive	-12.00D ~ +9.00D
1.74 Precision Daily Customized progressive (Tintable) *	-12.00D ~ +6.50D
1.5 Polarized Precision Daily Customized progressive (Grey / Brown / Green)	-8.00D ~ +4.50D
1.5 Transitions Precision Daily Customized progressive (Grey / Brown)	-8.00D ~ +4.50D
1.5 DRIVE WEAR Precision Daily Customized progressive	-8.00D ~ +4.50D
1.53 SAFEwear Transitions (Grey / Brown) Precision Daily Customized progressive	-8.00D ~ +5.00D
1.53 SAFEwear Polarized (Grey / Brown) Precision Daily Customized progressive	-8.00D ~ +5.50D
1.53 NXT PHOTO GREEN Precision Daily Customized progressive	-6.00D ~ +5.00D
1.53 NXT POLAR PHOTO Precision Daily Customized progressive	-6.00D ~ +5.00D
1.53 NXT MIRROR Precision Daily Customized progressive	-9.50D ~ +5.00D
1.56 Photochormic (Green / Blue / Pink / Orange / Vilet / Yellow) Precision Daily Customized progressive	-8.50D ~ +3.00D
1.56 Photochormic (Grey / Brown) Precision Daily Customized progressive	-8.50D ~ 5.00D
1.586 Poly Transitions (Grey / Brown) Precision Daily Customized progressive	-9.00D ~ +6.00D
1.586 Poly Polar (Grey / Brown / Green) Precision Daily Customized progressive	-9.00D ~ +6.00D
1.586 Poly DriveWear Precision Daily Customized progressive	-9.00D ~ +5.00D
1.6 Transitions VI Precision Daily Customized progressive (Grey / Brown)	-10.00D ~ +8.00D
1.6 Polarized (Grey / Brown) (1PSEZHB/1PSEZHG)	-10.00D ~ +6.00D
1.67 Transitions VI Precision Daily Customized progressive (Grey / Brown)	-11.00D ~ +8.00D
1.67 NUPOLAR (Grey / Brown) Precision Daily Customized progressive	-11.00D ~ +6.00D

Remarks:

- Additional power range: 0.75D~+3.50D
- Fitting Cross: center of Horizontal
- Minimum fitting height: 15mm

- Minimum vertical frame height: 25mm
- Extra UV protection available for 1.5 index







