

Build Your Unique Lens

My World
Digital Lens Design

iFree Advance Mobile Soft

your ideal personalized progressive lens choices



Build Your Unique Lens



iFree Advance / Mobile / Soft

your ideal personalized progressive lens choices

iFree Advance Mobile Soft	Minimum Fitting Height	Near Inset	Pantoscopic Tilt	Wrapping Angle	Back Vertex Distance	Ray-tracing simulation	Power optimization
	10-20mm	variable	optional	optional	optional	Yes	Yes

Progressive Models	Graphic simulation	Features	Remarks
iFree Advance		Far : ★★★★★ Near : ★★★★★ Mobile vision : ★★★★★ Comfort : ★★★★★	- Balanced type - Hard design for advanced users
iFree Mobile		Far : ★★★★★ Near : ★★★★★ Mobile vision : ★★★★★ Comfort : ★★★★★	- Balanced type - hard design modified for frequent usage of mobile devices
iFree Soft		Far : ★★★★★ Near : ★★★★★ Mobile vision : ★★★★★ Comfort : ★★★★★	- Balanced type - Super soft design; very easy adaptation

iFree **Advance**/**Mobile**/**Soft** Supply Power Chain (Add +0.75~ +3.50)

Index	Clear	Tinted	Armour	Transitions	Transitions XTRActive	Nupolar	Drivewear
1.5	+7.50D~ -8.00D	+7.50D~ -8.00D	NA	+5.00D~ -8.00D	+5.00D~ -8.00D	+5.50D~ -8.00D	NA
1.53 SAFEWear	+5.50D~ -8.00D	NA	NA	+5.50D~ -8.00D	+5.50D~ -8.00D	+6.00D~ -8.00D	+5.50D~ -8.00D
1.59 ACTIFWear	+6.00D~ -9.00D	NA	NA	+6.50D~ -9.00D	NA	+6.50D~ -9.00D	+5.50D~ -9.00D
1.6	+7.00D~ -9.50D	+7.00D~ -9.50D	+7.00D~ -9.50D	+8.50~ -10.00D	+8.50D~ -10.00D	+6.50D~ -10.00D	NA
1.67	+11.50D~ -11.00D	+11.50D~ -11.00D	+11.50D~ -11.00D	+8.50D~ -11.00D	+8.50D~ -11.00D	+6.50D~ -11.00D	NA
1.74	+10.00D~ -12.50D	+10.00D~ -12.50D	+10.00D~ -12.50D	+9.00D~ -12.50D	NA	NA	NA

Material Laser Engraving @ inferior nasal

Material	Clear/Tinted	Transitions / XTRActive	Nupolar	Drivewear
1.5	E	T	Z	WL
1.53 SAFEWear	V	TV	ZV	--
1.59 ACTIFWear	L	TL	ZL	WL
1.6	H	TH	ZH	--
1.67	P	TP	ZP	--
1.74	U	TU	--	--

Progressive Engraving:

Temple ① ① Nasal
ADD MD

M : Material Engraving

D : Design Engraving (Minimum Fitting Height)

Example 1) **TU8** 1.74 Transition
18 mm fitting height design

Example 2) **H7** 1.6 Clear/Tint
17 mm fitting height design

iFree **Advance**/**Mobile**/**Soft**
Engraving Mark


