Invisible Nasal Engraving of Precision Sports

Sports						
Index	Clear Lens / NXT Mirror	Transitions VI Brown / Grey	Photochromic (Brown Grey/Pink/Orange/ Yellow/Green/ Blue/Violet)	Polarized Brown/Grey/Green	Drivewear [™] Transitions Brown	
1.5	E5/ E7/ E9/ E1	T5/ T7/ T9/ T1	-	Z5/ Z7/ Z9/ Z1	W5/W7/W9/W1	
1.530 SAFEwear	V5/ V7/ V9/ V1	TV5/TV7/TV9/TV1	NXT V5/V7/V9/V1	ZV5/ZV7/ZV9/ZV1	NXT ZV5/ZV7/ZV9/ZV1	
1.56	-	-	PD5/PD7/PD9/PD1	-	-	
1.589 Polycarbonate	L5/ L7/ L9/ L1	TL5/LT7/TL9/TL1		ZL5/ZL7/ZL9/ZL1	WL5/WL7/WL9/WL1	
1.6	H5/ H7/ H9/ H1	TH5/TH7/TH9/TH1	-	ZH5/ZH7/ZH9/ZH1	-	
1.67	P5/ P7/ P9/ P1	TP5/TP7/TP9/TP1	-	ZP5/ZP7/ZP9/ZP1 Brown / Grey	-	
1.74	U5/ U7/ U9	-	-	-	-	

Customer Care

We fully understand your needs as a consumer and are keen on listening to your suggestions. After listening to your needs and collecting series of sophisticated measurements. We will then integrate your needs with the most advanced technology to produce a pair of SWISSCOAT® Precision lenses tailor-made just for you.

In addition, our laboratory has developed a strong, dedicated and experienced technical support team, hence we guarantee to offer our consumers extra care at all times. We are also always ready to answer any enquires relating to our products through our experienced, sincere and enthusiastic staffs of our customer service division.

Our laboratory is also a qualified optical service laboratory and we have been awarded the internationally recognized ISO

9001:2015; CE & FDA certificate under the quality assurance system, meaning that we are capable of providing a high quality and all-rounded after sales consumer service at a personalized level.

Finally our quality assurance is also reflected by the fact that our company provides a 1 year guarantee against

- a.) the Anti-Reflective coating quality of our SWISSCOAT ® Precision lenses, and
- b.) customer adaptability



SWISSCAOT Customized progressive Lens - Precision Sports

Index & Material	Maximum Supply power range
1.499 Precision Sports Customized progressive *	-8.00D ~ +6.50D
1.53 SAFEwear Precision Sports Customized progressive *	-8.00D ~ +5.00D
1.586 Poly Precision Sports Customized progressive *	-9.00D ~ +6.00D
1.61 Precision Sports Customized progressive *	-9.50D ~ +6.00D
1.67 Precision Sports Customized progressive *	-11.00D ~ +11.00D
1.74 Precision Sports Customized progressive	-12.00D ~ +9.00D
1.74 Precision Sports Customized progressive (Tintable) *	-12.00D ~ +6.50D
1.5 Polarized Precision Sports Customized progressive (Grey / Brown / Green)	-8.00D ~ +4.50D
1.5 Transitions Precision Sports Customized progressive (Grey / Brown)	-8.00D ~ +4.50D
1.5 DRIVE WEAR Precision Sports Customized progressive	-8.00D ~ +4.50D
1.53 SAFEwear Transitions (Grey / Brown) Precision Sports Customized progressive	-8.00D ~ +5.00D
1.53 SAFE wear Polarized (Grey / Brown) Precision Sports Customized progressive	-8.00D ~ +5.50D
1.53 NXT PHOTO GREEN Precision Sports Customized progressive	-6.00D ~ +5.00D
1.53 NXT POLAR PHOTO Precision Sports Customized progressive	-6.00D ~ +5.00D
1.53 NXT MIRROR Precision Sports Customized progressive	-9.50D ~ +5.00D
1.56 Photochormic (Green / Blue / Pink / Orange / Vilet / Yellow) Precision Daily Customized progressive	-8.50D ~ +3.00D
1.56 Photochormic (Grey / Brown) Precision Daily Customized progressive	-8.50D ~ 5.00D
1.586 Poly Transitions (Grey / Brown) Precision Sports Customized progressive	-9.00D ~ +6.00D
1.586 Poly Polar (Grey / Brown / Green) Precision Sports Customized	-9.00D ~ +6.00D
1.586 Poly DriveWear Precision Sports Customized progressive	-9.00D ~ +5.00D
1.6 Transitions VI Precision Sports Customized progressive (Grey / Brown)	-10.00D ~ +8.00D
1.6 Polarized (Grey / Brown) (1PSEZHB / 1PSEZHG)	-10.00D ~ +6.00D
1.67 Transitions VI Precision Sports Customized progressive (Grey / Brown)	-11.00D ~ +8.00D
1.67 NUPOLAR (Grey / Brown) Precision Sports Customized progressive	-11.00D ~ +6.00D

Remarks:

- Additional power range: 0.75D~+3.50D
- Fitting Cross: 4mm Above center of Horizontal Axis
- Minimum fitting height: 15mm

- Minimum vertical frame height: 25mm
- Extra UV protection available for 1.5 index

* Available For Color Tint Service

